


....

LLLLLLLLL



.psect _pas\$data,pic.noexe,long
.globl pas\$c_dfltlinli
pas\$c_dfltlinli:: .long ^X7FFFFFFF

.end

.long ^X7FFFFFFF

0000

7FFFFFFF

(1)

VC

PASSLINELIM Symbol table :set default linelimit

16-SEP-1984 02:05:59 VAX/VMS Macro V04-00 5-SEP-1984 02:31:57 [PASCAL.SRC]PASCLINE.MAR;1

PASSC_DFLTLINLI 00000000 RG 01

Psect synopsis!

PSECT name Allocation ABS 00000000 PASSDATA 00000004

PSECT No. Attributes 0.)

CON PIC USR

LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE LCL NOSHR NOEXE RD WRT NOVEC LONG

+------Performance indicators +-----

| Phase | Page faults | CPU Time | Elapsed Time |
|--|-------------|----------------------------|--------------|
| Initialization Command processing | 131 47 | 00:00:00.16 | 00:00:01.19 |
| Pass 1 | 47 | 00:00:00.22 | 00:00:00.93 |
| Symbol table sort | 13 | 00:00:00.12 | 00:00:00.01 |
| Symbol table output Psect synopsis output | 1 | 00:00:00.01 | 00:00:00.01 |
| Cross-reference output Assembler run totals | 228 | 00:00:00.00 00:00:01.11 | 00:00:00.00 |

The working set limit was 1050 pages. 270 bytes (1 page) of virtual memory were used to buffer the intermediate code. There were 10 pages of symbol table space allocated to hold 1 non-local and 0 local symbols. 30 source lines were read in Pass 1, producing 8 object records in Pass 2. 0 pages of virtual memory were used to define 0 macros.

Macro library statistics !

Macro library name

Macros defined -----

\$255\$DUA28:[SYSLIB]STARLET.MLB:2

0

O GETS were required to define O macros.

There were no errors, warnings or information messages.

MACRO/DISABLE=TRACE/LIS=LIS\$:PASCLINE/OBJ=OBJ\$:PASCLINE MSRC\$:PASCLINE/UPDATE=(ENH\$:PASCLINE)

0292 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

